

Ddev addons

Georg Ringer
gr@studiomitte.com

addons.ddev.com

DDEV Add-on Registry

A registry of [DDEV add-ons](#) where users can discover, explore, and leave comments on available add-ons.

If you have an add-on but don't see it listed here, add the `ddev-get` [topic](#) to your GitHub repository.

Sort by name

Sort by stars

Sort by date

ddev-adminer

Official 

[\[ddev\]](#) Adminer web-based MySQL, MariaDB, PostgreSQL database browser for DDEV

2025-05-01

★ 9

ddev-browsersync

Official 

[\[ddev\]](#) Live-reload and HTTPS auto-refresh on file changes for DDEV

2025-05-01

★ 33

ddev-cron

Official 

[\[ddev\]](#) Run scheduled tasks and cron jobs inside web container for DDEV

2025-04-17

★ 26

ddev-drupal-contrib

Official 

[\[ddev\]](#) Contrib module development environment for Drupal projects on DDEV

2025-04-17

★ 108

ddev-drupal-solr

Official 

[\[ddev\]](#) Apache Solr search engine integration for Drupal on DDEV (please consider ddev/ddev-solr first)

2025-04-24

★ 12

ddev-elasticsearch

Official 

[\[ddev\]](#) Elasticsearch full-text search and analytics engine for DDEV

2025-04-17

★ 10

ddev-ibexa-cloud

Official 

ddev-ioncube

Official 

ddev-memcached

Official 

Georg Ringer



TYPO3 since “yes I am that old”

TYPO3 Core Team, TYPO3
Security Team

working at

- Studio Mitte
- Freelancer

Phpmyadmin & adminer

Phpmyadmin / adminer

```
ddev add-on get ddev/ddev-phpmyadmin  
=> https://demo13.ddev.site:8037/
```

```
ddev add-on get ddev/ddev-adminer  
ddev dotenv set .ddev/.env.adminer  
--adminer-design=dracula  
  
=> https://demo13.ddev.site:9101/
```

redis

ddev-redis

```
ddev add-on get ddev/ddev-redis
```

```
ddev add-on get ddev/ddev-redis-commander
```

```
=> https://demo13.ddev.site:1359/
```

Redis - Configuration

```
$cachesForRedis = [  
    'pages' => 86400 * 30,  
    'pagesection' => 86400 * 30,  
    'hash' => 86400 * 30,  
    'rootline' => 86400 * 30,  
];  
  
foreach ($cachesForRedis as $cacheName => $lifetime) {  
    $GLOBALS['TYP03_CONF_VARS']['SYS']['caching']['cacheConfigurations'][$cacheName]['backend']  
        = \TYP03\CMS\Core\Cache\Backend\RedisBackend::class;  
    $GLOBALS['TYP03_CONF_VARS']['SYS']['caching']['cacheConfigurations'][$cacheName]['options'] = [  
        'hostname' => $redisConfigOptions['hostname'],  
        'password' => $redisConfigOptions['password'],  
        'database' => $redisConfigOptions['database']++,  
        'port' => $redisConfigOptions['port'],  
        'defaultLifetime' => $lifetime,  
    ];  
}
```


solr

ddev-typo3-solr

```
ddev add-on get ddev/ddev-typo3-solr
```

```
=> https://demo13.ddev.site:8984/
```

Ddev-typo3-solr - config

.ddev/**typo3-solr**/config.yaml

```
config: "vendor/apache-solr-for-typo3/solr/Resources/Private/Solr/solr.xml"
typo3lib: "vendor/apache-solr-for-typo3/solr/Resources/Private/Solr/typo3lib"
configsets:
  - name: "ext_solr_13_0_0"
    path: "vendor/apache-solr-for-typo3/solr/Resources/Private/Solr/configsets/ext_solr_13_0_0"
  cores:
    - name: "core_en"
      schema: "english/schema.xml"
    - name: "core_de"
      schema: "german/schema.xml"
```

Ddev-typo3-solr - config

```
.ddev/config.yaml
```

```
hooks:
```

```
  post-start:
```

```
    - exec-host: ddev solrctl apply
```

cron

ddev-cron

```
ddev add-on get ddev/ddev-cron
```

```
.ddev/web-build/typo3.cron
```

```
* * * * * /var/www/html/vendor/bin/typo3 scheduler:run -vv |  
tee -a /var/www/html/var/log/scheduler-log.txt
```

gotenberg

<https://github.com/echavaillaz/ddev-gutenberg>

playwright

playwright

<https://github.com/Lullabot/ddev-playwright>

ddev playwright test

ddev provider

Features

- Built in into ddev
 - Alternative to
 - gosync
 - Custom rsync bash files
-

.ddev/providers/staging.yaml

```
environment_variables:
  server: smdm-dover
  projectRoot: /var/docker/vhosts/typo3.boilerplate/staging

auth_command:
  command: |
    tsh login --proxy=XXX.XXX.smdm.at --user="${TSHUSER}"
    ssh-add -l >/dev/null || ( echo "Please 'ddev auth ssh' before running this command." && exit 1 )

db_pull_command:
  command: |
    ssh "${server}" 'source "${projectRoot}/shared/.env" && MYSQL_PWD="$TYPO3_DB_PASSWORD" mysqldump --no-tablespaces \
    --ignore-table=$TYPO3_DB_NAME.cache_rootline \
    --ignore-table=$TYPO3_DB_NAME..... \
    -u "$TYPO3_DB_USER" -h "$TYPO3_DB_HOST" "$TYPO3_DB_NAME" | gzip -9 -c' > /var/www/html/.ddev/.downloads/db.sql.gz

  service: web

files_import_command:
  command: |
    rsync --ignore-existing -rvz --exclude='_processed_' "${server}":"${projectRoot}/shared/fileadmin/*" /var/www/html/app/site/public/file

  service: web
```

.ddev/homeadditions/.ssh/config

```
Host smdm-dover
  HostName your-server.at
  User user
  Port 22
  ProxyCommand ssh -o 'ForwardAgent yes' smdm-jumpserver 'ssh-add && nc %h %p'
```

ddev pull - Usage

```
ddev pull staging
```

```
ddev pull staging -y
```

```
ddev pull staging --skip-files
```

```
ddev pull staging --skip-db
```

ddev pull - extending

.ddev/config.yaml

```
hooks:
  post-start:
    - exec-host: ddev solrctl apply
  post-pull:
    - exec: ./vendor/bin/typo3 extension:setup
    - exec: ./vendor/bin/typo3 database:updateschema
```


Questions?